



RESILIENT

AVIATOR
luxury vinyl plank

Handscraped Hickory




452 Earhart Brown




634 Propeller Brown

Limed Hickory




698 Blazing Skies




721 Maverick Brown

European Oak



231 Atmosphere



678 Kittyhawk



634 Propeller Brown

AVIATOR

RESILIENT

Style Number	0247V
Construction	VersaLock
Size	6" x 48"
Thickness	3.2mm
Wear Layer	6mil
Finish	OptiClean Urethane
Edge description	Square
SF per carton	27.58
SF per pallet	2,151.24
Installation	Floating
Classification	Good

Features

- Water resistant

Suggested Underlayment

Style Name	Style Number
Groundworks	074VS 100 SF per roll
Hush II	070VS 280 SF per roll

Coordinating Trim



VSMRP*
Multi-Purpose
Reducer
Length — 72"



VSTMD*
T-Molding
Length — 72"



VSQTR
Quarter Round
Length — 94"



VSSTN*
Stairnose
Length — 94"

*Packaged with molding track


Benefits




RESILIENT

AVIATOR
luxury vinyl plank

Handscraped Hickory




452 Earhart Brown




634 Propeller Brown

Limed Hickory




698 Blazing Skies




721 Maverick Brown

European Oak



231 Atmosphere



678 Kittyhawk



634 Propeller Brown

AVIATOR

RESILIENT

Style Number	0247V
Construction	VersaLock
Size	6" x 48"
Thickness	3.2mm
Wear Layer	6mil
Finish	OptiClean Urethane
Edge description	Square
SF per carton	27.58
SF per pallet	2,151.24
Installation	Floating
Classification	Good

Features

- Water resistant

Suggested Underlayment

Style Name	Style Number
Groundworks	074VS 100 SF per roll
Hush II	070VS 280 SF per roll

Coordinating Trim



VSMRP*
Multi-Purpose
Reducer
Length — 72"



VSTMD*
T-Molding
Length — 72"



VSQTR
Quarter Round
Length — 94"



VSSTN*
Stairnose
Length — 94"

*Packaged with molding track

Benefits



Array™

luxury vinyl tile & plank



Color shown is 163 Coconut Milk



Resilient™
shawfloors.com

Easy Style | *luxury vinyl plank*



Resilient™
shawfloors.com



Shaw Industries, Inc.
PO Drawer 2128, Mail Drop 02601
Dalton, GA 30722-2128
1-800-441-7429

Easy Style

Features

Presenting a unique LVP product whose visual is a very contemporary fusion of stone and wood with a smooth, low-gloss surface. The colorations, together with the 6" x 36" plank format, make this an exciting product that can be used where the homeowner prefers either a reclaimed wood visual or a more formal marble look.

In addition, the VersaFit no-glue backing makes for easy installation. Install three ways: loose-lay, perimeter glue, or overall glue.

3 colors:

- Light, smoky grey with marbled white—inspired by Carrara marble
- Dusky, warm grey with white accents against cool brown background
- Cool white background with accents of grey veining

Color-Coordinating Trims



Multi Purpose
Reducer (MPR)
VSMR



T-Molding
VSTMD



Track Molding
(packaged with
MPR & T-Molding)



Quarter Round
VSQTR

Colors



163 Coconut Milk



546 Five Spice



605 Ginger

Specifications

Style	042VF
Size	6" x 36"
Thickness	4mm
Wear Layer	20 mil
Finish	Armour Bead
Installation	Glue/Float/Perimeter Glue
Classification	Superior



This Shaw Luxury vinyl is warranted not to stain or wear through, will not fade as a result of direct sunlight or artificial light and will resist water damage under normal use conditions for a Lifetime or as long as you own your home.



This Shaw Luxury vinyl carries a 15 year Light commercial warranty.



This Shaw product can be installed above, on or below ground level.



Wear layer that offers astounding performance and is up to 5 times more durable than typical polyurethane surface.




Easy Style | luxury vinyl plank

shawfloors.com

RESILIENT

NEW MARKET

luxury vinyl plank



*Not offered for style #0243V



520 Lancaster*

NEW MARKET

RESILIENT

Style Number	0145V	0146V	0243V
Construction	Direct Glue	Direct Glue	Direct Glue
Thickness	2mm	2mm	3mm
Wear Layer	6mil	12mil	20mil
Size	6" x 48"	6" x 48"	6" x 48"
Finish	OptiClean Urethane	OptiClean Urethane	OptiClean Urethane
Edge description	Square	Square	Square
SF per carton	53.93	53.93	35.95
SF per pallet	2,588.64	2,588.64	1,725.60
Installation	Adhesive full spread	Adhesive full spread	Adhesive full spread
Classification	Good	Better	Best

Features

- Emulates the top species and colors of hardwood
- Ten colors to choose from

Suggested Adhesive

Style Name	Style Number
Shaw 200 TPS Adhesive	052VS 1 gal 026VS 4 gal
Shaw S150 Spray Adhesive	069VS 22 oz can
Kwik Flash	081VS 1 gal 080VS 4 gal

Benefits

0145V



0146V



0243V



ALL STYLES





510 Castlerock



Features

- Extraordinarily realistic 16"x16" tile
- True rounded edges and 3mm thickness allow tiles to be grouted
- Solid vinyl — more durable and stable than competitive products
- Direct-glue with two installation methods — edge-to-edge or grouted
- Compared to typical ceramic or stone tile:
 - » More forgiving with condition of substrate
 - » TPS adhesive easier to work with than thin-set
 - » Softer, Warmer, more flexible underfoot

Adhesives: Shaw 200 TPS Adhesive (1 gal. style 052VS, 4 gal. 026VS), Kwikflash (1 gal. style 081VS, 4 gal. style 080VS) & S150 (1 - 22 Oz. can style 069VS)

Grout: Array Grout (style 055VS)

Specifications

Resort Tile	0189V
Size	16" x 16"
Thickness	3mm
Wear Layer	6 mil
Finish	ArmourBead
Edge description	Pressed Bevel
sq. ft. per carton	28.44
sq. ft. per pallet	1,137.60
Installation	Adhesive (full spread)
Classification	Good



This Shaw luxury vinyl carries a Wear finish performance warranty of 25 years.



7 year Light commercial warranty.



This product can be installed with or without grout.



This Shaw product can be installed above, on or below ground level.



Wear layer that offers astounding performance and is up to 5 times more durable than typical polyurethane surface.


Colors



101 Oatmeal



106 Macadamia



110 Sunlit Sand



121 Beachscape



201 Caramel



240 Cashmere



510 Castle Rock



537 Hammock



561 Garden Walkway



670 Baked Clay



701 Walnut



749 Ocean Breeze



750 Hot Cocoa



756 Mountain Trail


RESILIENT

SUMTER PLUS


luxury vinyl plank




220 Dutch




355 Spice Box




450 Foundry



600 Tropic



620 Universal



700 Ashville



520 Shadow

SUMTER PLUS

RESILIENT

Style Number	0225V
Construction	Direct Glue
Thickness	2mm
Wear Layer	8mil
Size	7" x 48"
Finish	OptiClean Urethane
Edge description	Square
SF per carton	34.98
SF per pallet	2,798.40
Installation	Adhesive full spread
Classification	Good

Features

- Emulates the top species and colors of hardwood
- Seven colors to choose from

Suggested Adhesive

Style Name	Style Number
Shaw 200 TPS Adhesive	052VS 1 gal 026VS 4 gal
Shaw S150 Spray Adhesive	069VS 22 oz can
Kwik Flash	081VS 1 gal 080VS 4 gal

Coordinating Trim

		
VSUN1 OmniTrim Multi-Purpose Reducer / T-Molding Length — 94"	VSQT1 Quarter Round Length — 94"	VSSN1 Stairnose Length — 94"

Benefits



Array®

luxury vinyl tile & plank



Resilient™

Urbanality | *luxury vinyl plank*

Color shown is 529 Ferry

shawfloors.com

Urbanality

Features

Unlike anything done before! Here, at excellent price points, are designs and colors intentionally suited for urban spaces and multi-family housing—anywhere people enjoy forward-thinking decor. Urbanality steps into new visuals that are not entirely wood designs. That's because there's a great need in many markets—especially urban—for products without busy graining or strong character. So this collection features clean, simple-grained woods like white oak and maple—alongside striations that are woodlike but don't represent a species. Urbanality's design intentionally avoids regional characteristics and works well for both west coast and east coast looks.

Available in 14 skus, Urbanality offers lots of colors, lower gloss level, and some very progressive designs—enough to please all tastes, whether traditional or contemporary.

Adhesive: Shaw 200 TPS Adhesive (1 gal. — style 052VS & 4 gal. — style 026VS)



Colors



115
Broadway

126 Sidewalk

225 Bright
Lights

241 Central
Park

247 City
Center

266 Art
District

271 Bistro



529 Ferry

545
Downtown

624 Metro

633 City
Market

759 Skyline

768
Bridgeway

777 Cafe

Specifications

Style	0309V	6 mil
	0310V	12 mil
Size	6" x 36"	
Thickness	2mm	
Finish	OptiClean	
Installation	Adhesive (full spread)	
Classification	Better	6 mil
	Best	12 mil

0309V 6 mil



This Shaw Luxury vinyl is warranted not to stain or wear through, will not fade as a result of direct sunlight or artificial light and will resist water damage under normal use conditions for 15 years.



5 year light commercial warranty.

0310V 12 mil



This Shaw Luxury vinyl is warranted not to stain or wear through, will not fade as a result of direct sunlight or artificial light and will resist water damage under normal use conditions for 25 years.



7 year light commercial warranty.



This Shaw product can be installed above, on and below ground level



Easy to clean surface that offers additional stain resistance.

Array®

luxury vinyl tile & plank



Resilient™

World's Fair | *luxury vinyl plank*

Color shown is 235 Brussels

shawfloors.com

World's Fair

Features

A great new option in resilient!

World's Fair makes a fabulous first impression with the desirable look of rustic, reclaimed barnwood. Its styling reflects 10 gorgeous wood species in current colors, creating design choices that range from contemporary to traditional. And the realism is impressive—some of the styles are embossed, and some offer the natural look of “limed” (or white-filled) color.

Choose from better and best in wear layers and warranties.

Adhesive: Shaw 200 TPS Adhesive (1 gal. — style 052VS & 4 gal. — style 026VS)



Colors



235 Brussels



251 San Francisco



269 Philadelphia



343 Paris



512 Brisbane



574 Seattle



618 St. Louis



744 Montreal



763 Dublin



791 Barcelona

Specifications

Style	0318V	6 mil
	0319V	12 mil
Thickness	2mm	
Finish	OptiClean	
Installation	Adhesive (full spread)	
Classification	Better, Best	

0318V 6 mil



This Shaw Luxury vinyl is warranted not to stain or wear through, will not fade as a result of direct sunlight or artificial light and will resist water damage under normal use conditions for 15 years.



5 year light commercial warranty.

0319V 12 mil



This Shaw Luxury vinyl is warranted not to stain or wear through, will not fade as a result of direct sunlight or artificial light and will resist water damage under normal use conditions for 25 years.



7 year light commercial warranty.



This Shaw product can be installed above, on and below ground level



Easy to clean surface that offers additional stain resistance.

RESILIENT

WORLD'S FAIR

luxury vinyl tile



273 Kyoto



541 Sydney



706 Melbourne



104 Boston

Style Number	0428V
Construction	Direct Glue
Thickness	2mm
Wear Layer	6mil
Size	18" x 18"
Finish	OptiClean Urethane
Edge description	Square
SF per carton	40.64
SF per pallet	2,600.96
Installation	Adhesive full spread
Classification	Good

Features


- Emulates the top species and colors of hardwood
- Four colors to choose from

Suggested Adhesive

Style Name	Style Number
Shaw 200 TPS Adhesive	052VS 1 gal 026VS 4 gal
Shaw S150 Spray Adhesive	069VS 22 oz can
Kwik Flash	081VS 1 gal 080VS 4 gal

Benefits





RENAISSANCE



Style Number	0331V
Construction	DirectGlue
Thickness	2.5mm
Wear Layer	20mil
Size	18" x 18"
Finish	ArmourBead
Edge description	Pressed Beveled
SF per carton	35.95
SF per pallet	1,725.60
Installation	Adhesive full spread
Classification	Best

Features

- Water resistant

Suggested Adhesive & Grout

Style Name	Style Number
Shaw 200 TPS Adhesive	052VS 1 gal 026VS 4 gal
Shaw S150 Spray Adhesive	069VS 22 oz can
Kwik Flash Adhesive	081VS 1 gal 080VS 4 gal
LG4100 Adhesive	073VS 1 gal 312VS 4 Gal
Grout	055VS

Coordinating Trim



Benefits



RESILIENT

ROCK CREEK

luxury vinyl tile

Cross-cut



Marble



313 Reed

ROCK CREEK

RESILIENT

Style Number	0314V
Construction	Fold-N-Tap
Size	12" x 24"
Thickness	4mm
Wear Layer	12mil
Finish	OptiClean Urethane
Edge description	Microbeveled
SF per carton	18.10
SF per pallet	1,375.60
Installation	Floating
Classification	Better

Features

- 6 fashionable neutrals
- 4 cross-cut travertine
- 2 marble

Suggested Underlayment

Style Name	Style Number
Groundworks	074VS 100 SF per roll
Hush II	070VS 280 SF per roll

Coordinating Trim



VSMRP*
Multi-Purpose
Reducer
Length — 72"



VSTMD*
T-Molding
Length — 72"



VSQTR
Quarter Round
Length — 94"



VSSTN*
Stairnose
Length — 94"

*Packaged with molding track

Benefits

